









The new core drills will, like the previous models, fit into standard drill stands accepting the mounting of round 60 mm front adaptors.

They will also make good use of the high quality diamond core bits offered as Atlas Copco branded from PTD stock. In local markets, more diameters and different core bit lengths will be easy available to meet local customer needs.

Diamond core bits (thread size 11/4 UNC)

	Description	Core bit size	Length	Weight	Drilling material	Part number
		mm	mm	kg		
	Diamond core bit	Ø 62	450	1.7	Concrete, reinforced concrete and brickwork	3378 0050 61
	Diamond core bit	Ø 82	450	2.4	Concrete, reinforced concrete and brickwork	3378 0050 62
	Diamond core bit	Ø 102	450	3.2	Concrete, reinforced concrete and brickwork	3378 0050 63
	Diamond core bit	Ø 112	450	3.7	Concrete, reinforced concrete and brickwork	3378 0050 64
	Diamond core bit	Ø 132	450	4.6	Concrete, reinforced concrete and brickwork	3378 0050 65
	Diamond core bit	Ø 152	450	6.0	Concrete, reinforced concrete and brickwork	3378 0050 66
	Diamond core bit	Ø 162	450	6.3	Concrete, reinforced concrete and brickwork	3378 0050 67
	Diamond core bit	Ø 200	450	9.9	Concrete, reinforced concrete and brickwork	3378 0050 68
	Drill chuck for steel and wood drilling		100	0.4	Chuck 1.5 - 13 mm (0.06 - 0.51 in) Adaptor (1/2 in bsp to 3/8 bsp)	3371 8077 68

Best regards

Jan Byrresen  
Product Line manager